

## Warning [Pages Of US References:]

page 3 has no references  
page 4 has no references  
page 5 has no references  
page 6 has no references  
page 10 has no references  
page 11 has no references  
page 12 has no references  
page 15 has no references  
page 16 has no references  
page 17 has no references  
page 18 has no references  
page 19 has no references  
page 20 has no references  
page 21 has no references  
page 22 has no references  
page 23 has no references  
page 24 has no references

## Warning [Pages Of Foreign References:]

page 1 has no references  
page 4 has no references  
page 5 has no references  
page 6 has no references  
page 7 has no references  
page 8 has no references  
page 10 has no references  
page 11 has no references  
page 12 has no references  
page 13 has no references  
page 14 has no references  
page 15 has no references  
page 16 has no references  
page 17 has no references  
page 18 has no references  
page 19 has no references  
page 20 has no references  
page 21 has no references  
page 23 ~~has no~~ references  
page 24 has no references

## Warning [Pages Of Other References:]

position 22 on page 5 may be a duplicate because the first 75  
characters are the same as position 23 on page 5  
may be a duplicate because the first 75 characters are the same as  
position 1 on page 6  
position 23 on page 5 may be a duplicate because the first 75  
characters are the same as position 1 on page 6  
page 1 has no references  
page 2 has no references  
page 8 has no references  
page 13 has no references

errors 6/8/04  
TM

done  
6/9/04, Vicki

Pat. No. 05829412 - 5  
Issue Date: 09/08/03

Group ID: B  
User ID: vjones

Page 2

page 14 has no references  
page 22 has no references

REFERENCES (Page 24) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Holler, et al., (2002) TCRs with high affinity for foreign pMHC show self-reactivity, [i Nature Immunology[1 , Published online Dec. 9, 2002; doi:10.1038/ni863.

Holler, et al., (2003) Quantitative Analysis of the Contribution of TCR/pepMHC Affinity and CD8 to T Cell Activation, [i Immunity[1 , 18:255-264.

Holler, et al., (2000) [i In vitro[1 evolution of a T cell receptor with high affinity for peptide/MHC, [i PNAS[1 , 97:5387-5392.

Hoogenboom, Hennie R., (1997) Designing and optimizing library selection strategies for generating high-affinity antibodies, [i Tibtech[1 , 15:62-70.

Kasibhatla S. et al., (1993) Simultaneous involvement of all six predicted antigen binding loops of the T cell receptor in recognition of the MHC/antigenic peptide complex. [i J. Immunol.[1 151:3140-51.

Kielce, M.C., et al., (2001), High affinity T cell receptors from yeast display libraries block T cell activation by superantigens. J Mol Biol 307:1305-1315.

Δ+6ΔΔ+0Δ

Malchiodi EL, (1995), Superantigen binding to a T cell receptor (b) chain of known three-dimensional structure. [i J. Exp. Med. [1  
182:1833-1845.

-----  
Shusta, E.V., et al., (2000), Directed evolution of a stable scaffold for T-cell receptor engineering. Nat Biotechnol 18:754-759.

-----  
Wittup, K.D., (2000), The single cell as a microplate well. Nat Biotechnol 18:1039-1040.

-----  
Yoon, ST., (1994), Both high and low avidity antibodies to the cell receptor can have agonist or antagonist activity. [i Immunity [1  
1:563-569.

=====  
\*\*\*\*\* End of edited forms \*\*\*\*\*

Pat. No. 05829412 - 5  
Issue Date: 09/08/03

Group ID: B  
User ID: vjones

Page 3

CHECK LIST

Rule 47      Continuing Data      PCT      Disclaimer

No              Yes                              No      No

Microfiche Appendix              CPA tag

No                              No

Foreign Priority Claimed: No  
Acknowledged: No

State Code: IL      Country Code:

Text Endorsement: 09731242.120600

=====

JACKET

<u>SERIAL NUMBER</u>	<u>FILING DATE</u>	<u>CLASS</u>	<u>SUBCLASS</u>	<u>GAU</u>
09/731,242	12/06/00	435	372.3	1636

FOREIGN PRIORITY  
Country      Document Number      Date

DISCLAIMER

/ /

TITLE

High affinity TCR proteins and methods

MICROFICHE APPENDIX

ASSISTANT EXAMINER:

First:                              Middle:                              Last:

PRIMARY EXAMINER:

First:                              Middle:                              Last:

David    Guzo

CLAIMS ALLOWED

Total      Print

23            1

DRAWINGS

Sheets      Figures      Print

15            15            N

=====

BLUE SLIP INFORMATION

<u>SERIAL NUMBER</u>	<u>CLASS</u>	<u>SUBCLASS</u>	<u>GAU</u>
09/731,242	435	372.3	1636

<u>INDEP. CLAIMS</u>	<u>TOTAL CLAIMS</u>
1,7,17,21	23

=====

BLUE SLIP (Page 1)

INTERNATIONAL CLASSIFICATION

<u>Class</u>	<u>SubClass</u>
C12N	5/10;5/08
C07K	14/725

CROSS-REFERENCES

<u>Class</u>	<u>SubClass</u>
435	320.1;325;366;372
530	350

=====

TERM EXTENSION

33  
FIELD OF SEARCH

<u>Class</u>	<u>SubClass</u>
435	320.1;325;366;372;372.3

Pat. No. 05829412 - 5  
Issue Date: 09/08/03

Group ID: B  
User ID: vjones

Page 5

530 350

=====

PTOL85b INFO

SERIAL NUMBER      FILING DATE

09/731,242      12/06/00

ASSIGNEE DATA PRESENT      DATE FEE PAID

Yes      11/12/03

EMAIL ADDRESS

=====

ATTORNEYS

Type:      Firm/First:      Middle:      Last:

Firm      Greenlee, Winner and Sullivan, P.C.

=====

ASSIGNEES

Code:   Firm/First:      Middle:      Last:

02      Board of Trustees of the University of Illinois

City:      State:   Country:

Urbana      IL

Text:

=====

OATH

INVENTOR NAME

First:      Middle:      Last:      Signed:

David      M.      Kranz      Yes

City:      Champaign

State: IL      ZIP Code:      Country:      Foreign ZIP:

INVENTOR NAME

<u>First:</u>	<u>Middle:</u>	<u>Last:</u>	<u>Signed:</u>
K.	Dane	Wittrup	Yes

City:      Chestnut Hill

State: MA      ZIP Code:      Country:      Foreign ZIP:

INVENTOR NAME

<u>First:</u>	<u>Middle:</u>	<u>Last:</u>	<u>Signed:</u>
Phillip	D.	Holler	Yes

City:      Champaign

State: IL      ZIP Code:      Country:      Foreign ZIP:

=====  
PCT INFO

=====  
CONTINUING DATA (Page 1)

<u>LINE</u>	<u>CODE</u>	<u>SERIAL NUMBER</u>	<u>FILING DATE</u>	<u>STATUS</u>	<u>DOCUMENT NO.</u>	<u>ISSUE DATE</u>
104	72	09/009,388	01/20/1998			/ /
105	68	60/169,179	12/06/1999			/ /

=====  
REFERENCES (Page 1) SERIAL NUMBER: 09/731,242  
FORM 892

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
*6,416,971	07/2002	Reinherz et al.	435	69.1
No issue date available.				
*6,319,713	11/2001	Patten et al.	435	440
No issue date available.				



Pat. No. 05829412 - 5  
Issue Date: 09/08/03

Group ID: B  
User ID: vjones

Page 7

\*6,087,096      07/2000 Dau et al.  
No issue date available.

435      6

FOREIGN REFERENCES

<u>Foreign</u>	<u>Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
----------------	----------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

=====

REFERENCES (Page 2) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

4,885,248	12/1989	Ahlquist		
5,173,410	12/1992	Ahlquist		
5,466,788	11/1995	Ahlquist		
5,500,360	03/1996	Ahlquist et al.		
5,602,242	02/1997	Ahlquist et al.		
5,627,060	05/1997	Ahlquist et al.		
5,633,447	05/1997	Ahlquist et al.		
5,670,353	09/1997	Ahlquist et al.		

\*6,232,099      05/2001 Chapman et al.  
No issue date available.

FOREIGN REFERENCES

<u>Foreign</u>	<u>Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
----------------	----------------	-------------	----------------	--------------	-----------------

WO	96/12027	04/1996	WOX		
63-	14693	01/1988	JPX		
067	553	12/1982	EPX		
194	809	09/1986	EPX		
278	667	08/1988	EPX		
B7	195 191	03/1992	AUX		
AO	425 004	05/1991	EPX		

Pat. No. 05829412 - 5  
Issue Date: 09/08/03

Group ID: B  
User ID: vjones

Page 8

WOA91 13994 09/1991 WOX  
WOA90 12107 10/1990 WOX  
AO 479 180 04/1992 EPX  
AO 573 767 12/1993 EPX

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

=====

REFERENCES (Page 3) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

WOA89 08145	09/1989	WOX		
61/158443	07/1986	JPX		
63/200789	08/1988	JPX		
WO 92/18618	10/1992	WOX		
174759	03/1986	EPX		
WO 95/21248	02/1995	WOX		
WO 93/03161	02/1993	WOX		
0 672 754 A1	03/1993	EPX		
WO 91/15587	04/1991	WOX		
WO 9602649A1	02/1996	WOX		

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Ahlquist et al., +37 Viral Vectors,+38 +0 +i Cold Spring Harbor  
Laboratory, New York +1 183-189 (1988).

-----

Ahlquist and Pacha, +i Physiol. Plant. 79+1 :163-167 (1990).

-----

Barton et al., +i Plant Physiol. 85+1 :1103-1109 (1987).  
-----  
Bruening, G., +37 Comovirus group, C.M.I./A.A.B. Descriptions of plant  
viruses,+38 +0 No. 199. +i Wm. Culross and Son Ltd., Coupar Angus,  
Perthshire, Scotland+1 . (1978).  
-----  
Butler and Mayo, +37 Molecular architecture and assembly of tobacco  
mosaic virus particles,+38 +0 +i The molecular biology of the positive  
strand RNA Viruses, Academic Press, London+1 :237-257 (1987).  
-----  
Cassidy and Nelson, +i Phytopathology 80+1 :1037 (1990).  
-----  
Chapman et al., +i Plant Journal 2+1 :549 (1992).  
-----  
Charoenvit et al., +37 Inability of malaria vaccine to induce  
antibodies to a protective epitope within its sequence,+38 +0 +i  
Science 251+1 :668-671 (1991).  
-----  
Charoenvit et al., +37 Monoclonal, but not polyclonal, antibodies  
protect against +i Plasmodium yoeli +1 sporozoites,+38 +0 +i J.  
Immunol. 146+1 :1020-1025 (1991).  
-----  
Citovsky and Zambryski, +i BioEssays 13+1 :373-379 (1991).  
-----  
Culver et al., in press, +i Virology+1 .  
-----  
Dawson and Hilf, +i Ann. Rev. Plant Physiol. Plant Mol. Biol. 43+1  
:527-555 (1992).  
-----  
Dawson et al., +37 cDNA cloning of the complete genome of tobacco

mosaic virus and production of infectious transcripts,+38 +0 +i Proc.  
Natl. Acad. Sci. USA 83+1 :1832-1836 (1986).

=====

REFERENCES (Page 4) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Dawson et al., +37 Modifications of the tobacco mosaic virus coat  
protein gene affecting replication, movement, and symptomatology,+38  
+0 +i Phytopathol. 78+1 :783-789 (1988).

-----

Dawson et al., +37 A tobacco mosaic virus-hybrid expresses and loses  
an added gene,+38 +0 +i Virology 172+1 :285-292 (1989).

-----

Dawson, +i Adv. Virus Res. 38+1 :307-342 (1990).

-----

Dawson, +i Virology 186+1 :359-367 (1992).

-----

Deom et al., +37 Plant Virus Movement Proteins,+38 +0 +i Cell 69+1  
:221-224 (1992).

-----

Deom et al., +i Science 237+1 :389-394 (1987).

-----

Dolja et al., +i Proc. Natl. Acad. Sci. USA 89+1 :10208 (1992).

-----

Donson et al., +37 Systemic expression of a bacterial gene by a  
tobacco mosaic virus-based vector,+38 +0 +i Proc. Natl. Acad. Sci. USA  
88+1 :7204-7208 (1991).

-----  
Dunsmuir et al., +37 Stability of introduced genes and stability of  
expression,+38 +0 Plant Molecular Biology Manual, +i Kluwer Academic  
Publishers, Dordrecht, The Netherlands+1 :C1:1-17 (1988).  
-----

Fitchen et al., +37 Plant virus expressing hybrid coat protein with  
added murine epitope elicits autoantibody response,+38 +0 +i Vaccine  
13+1 :1051-1057 (1995).  
-----

French et al., +37 Bacterial gene inserted in an engineered RNA virus:  
Efficient expression in monocotyledonous plant cells,+38 +0 +i Science  
231+1 :1294-1297 (1986).  
-----

Gibbs, A.J., +37 Tobamovirus group, C.M.I./A.A.B. Descriptions of  
plant viruses,+38 +0 No. 184. +i Wm. Culross and Son Ltd., Coupar  
Angus, Perthshire, Scotland +1 (1977).  
-----

Goelet et al., +37 Nucleotide sequence of tobacco mosaic virus RNA,+38  
+0 +i Proc. Natl. Acad. Sci. USA 79+1 :5818-5822 (1982).  
-----

Gooding, Jr., G.V., and Hebert, T.T., +37 A simple technique for  
purification of tobacco mosaic virus in large quantities,+38 +0 +i  
Phytopathology 57+1 :1285 (1967).  
-----

Hamamoto et al., +37 A new tobacco mosaic virus vector and its use for  
the systemic production of angiotensin-I-converting enzyme inhibitor  
in transgenic tobacco and tomato,+38 +0 +i Bio/Technology 11+1  
:930-932 (1993).  
-----

Haynes et al., +37 Development of a genetically-engineered, candidate polio vaccine employing the self-assembling properties of the tobacco mosaic virus coat protein,+38 +0 +i Bio/Technology 4+1 :637-641 (1986).

Horsch et al., +37 Leaf disc transformation,+38 +0 Plant Molecular Biology Manual, +i Kluwer Academic Publishers, Dordrecht, The Netherlands:A5+1 :1-9 (1988).

Jagadish et al., +37 High Level Production of Hybrid otybirus-like Particles Carrying Repetitive Copies of Foreign Antigens in +i Escherichia coli+1 ,+38 +0 +i Bio/Technology 11+1 :1166-1170 (1993).

Joshi and Joshi, +i FEBS Letters 281+1 :1-8 (1991).

Joshi et al., +37 BSMV genome mediated expression of a foreign gene in dicot and monoclonal plant cells,+38 +0 +i EMBO J. 9+1 :2663-2669 (1990).

Jupin et al., +i Virology 178+1 :273-280 (1990).

=====

REFERENCES (Page 5) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Kearny et al., +i Virology 192+1 :000-000 (in press) (1993).

Krebbers et al., +37 Prospects and progress in the production of foreign proteins and peptides in plants,+38 +0 +i Plant Protein Engineering+1 . (P.R. Shewry and S. Gutteridge, eds.), Cambridge University Press, Cambridge, pp. 315-325 (1992).

-----  
Kumagai et al., +37 Rapid, high level expression of biologically active [hd +60 [l -trichosanthin in transfected plants by a novel RNA viral vector,+38 +0 +i Proc. Natl. Acad. Sci USA 90+1 :427-430 (1993).

-----  
Larkins et al., +i J. Cell. Biochem. Suppl. 0+1 (+i 9 Part C+1 ):264 (1985).

-----  
Martelli, +i Plant Disease 76+1 :436 (1992).

-----  
Mason et al., +37 Expression of hepatitis B surface antigen in transgenic plants,+38 +0 +i Proc. Natl. Acad. Sci. USA 89+1 :11745-11749 (1992).

-----  
Ogawa et al., +i Virology 185+1 :580-584 (1991).

-----  
Ow et al., +i Science 234+1 :856 (1986).

-----  
Pelham, H.R.B., +37 Leaky UAG termination codon in tobacco mosaic virus RNA,+38 +0 +i Nature 272+1 :469-471 (1978).

-----  
Porta et al., +37 Development of Cowpea Mosaic Virus as a High-Yielding System for the Presentation of Foreign Peptides,+38 +0 +i Virology 202+1 :949-955 (1994).

-----  
Potrykus, +i Ann. Rev. Plant Physiol. Plant Mol. Biol. 42+1 :205-225

(1991).

-----  
Raffo and Dawson, +37 Construction of Tobacco Mosaic Virus Subgenomic  
Replicons that are Replicated and Spread Systemically in Tobacco  
Plants,+38 +0 +i Virology 184+1 :277-289 (1991).

-----  
Rowlands et al., eds., +i American Press, London+1 , pp. 237-257  
(1987).

-----  
Saito et al., +i Virology 176+1 :329-336 (1990).

-----  
Shaw, +37 Chloramphenicol acetyltransferase from  
chloramphenicol-resistant bacteria,+38 +0 +i Methods in Enzymology  
53+1 :737-755 (1975).

-----  
Skuzeski et al., +37 The signal for a leaky UAG stop codon in several  
plant viruses includes the two downstream codons,+38 +0 +i J. Mol.  
Biol. 218+1 :365-373 (1991).

-----  
Takamatsu et al., +i J. Virol. 65+1 :1619-1622 (1991).

-----  
Takamatsu et al., +i J. Virol. 64+1 :3686-3693 (1990).

-----  
Takamatsu et al., +37 Expression of bacterial chloramphenicol  
acetyltransferase gene in tobacco plants mediated by TMV-RNA,+38 +0 +i  
EMBO J. 6+1 :307-311 (1987).

-----  
Takamatsu et al., +37 Production of enkephalin in tobacco protoplasts  
using tobacco mosaic virus RNA vector,+38 +0 +i FEBS Lett. 269+1  
:73-76 (1990).



Turpen and Dawson, +37 Transgenic Plants, Fundamentals and  
Applications,+38 +0 +i Marcel Dekkar, New York+1 , pp. 195-217 (1992).

-----  
Turpen, +37 Ph.D. Dissertation,+38 +0 +i University of California,  
Riverside+1 , pp. 72-87 (1992).

-----  
Turpen, +37 Ph.D. Dissertation,+38 +0 +i University of California,  
Riverside+1 , pp. 85-105 (1992).

=====

REFERENCES (Page 6) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Turpen, +37 Ph.D. Dissertation,+38 +0 +I University of California,  
Riverside+1 , pp. 106-132 (1992).

-----  
Turpen and Dawson, +37 Amplification, movement and expression of genes  
in plants by viral-based vectors,+38 +0 +i Marcel Dekkar, New York+1 ,  
pp. 195-217.

-----  
Turpen, T.H., +37 a Molecular Genetic Analysis of Host/Viral  
Interactions, Implications for the Use of Plant RNA Viruses as Gene  
Vectors,+38 +0 +i Chem. Abstracts 120+1 (+i 9+1 ):97427 (1992).

-----  
Turpen et al., +37 Malarial Epitopes Expressed on the Surface of  
Recombinant Tobacco Mosaic Virus,+38 +0 +i Bio/Technology 10+1 :53-57

(1995).

-----

Usha et al., +37 Expression of an animal virus antigenic site on the  
surface of a plantvirus particle,+38 +0 +i Virology 197+1 :366-374

(1993).

-----

Van Haute et al., +i EMBO J. 2+1 :411-417 (1983).

-----

Von Kammen et al., +37 Cowpea mosaic virus, C.M.I./A.A.B. Descriptions  
of plant viruses,+38 +0 No. 197, +i Wm. Culross and Son Ltd., Coupar  
Angus, Perthshire, Scotland+1 , pp. 1-5 (1978).

-----

Venton and Schell, +i NAR 13+1 :6981 (1985).

-----

Walden and Schell, +i Eur. J. Biochem. 192+1 :563-576 (1990).

-----

Weiss et al., +37 A T cell clone directed at the circumsporozoite  
protein which protects mice against both +i Plasmodium yoelli +1 and  
+i Plasmodium berghei,+38 +0 J. Immunol. 149+1 :2103-2109 (1992).

-----

Yamaya et al., +i Mol. Gen. Genet. 211+1 :520-525 (1988).

-----

Zaitlin et al., +37 Tobacco mosaic virus (type strain), C.M.I./A.A.B.  
Descriptions of plant viruses,+38 +0 No. 151, +i Wm. Culross and Son  
Ltd., Coupar Angus, Perthshire, Scotland+1 , pp. 1-6 (1975).

-----

Zaitlin and Hull, +i Ann. Rev. Physiol. 38+1 :291-315 (1987).

-----

Zambryski et al., +i EMBO J. 2+1 :2143-2150 (1983).

=====

FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
5,861,156	01/1999	George et al.		

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Weidanz, Jon A. et al. (Aug. 1998), +37 Display of functional +60 +62  
+0 single-chain T-cell receptor molecules on the surface of  
bacteriophage+38 +0 +i Journal of Immunological Methods +1 221:59-76.

-----  
Shusta, E.V. et al. (1999) +37 Yeast Polypeptide Fusion Surface  
Display Levels Predict Thermal Stability and Soluble Secretion  
Efficiency+38 +0 +i Academic Press +1 292:949-956.

-----  
Lake, D.F. et al. (Jan. 1999) +37 Construction and binding analysis of  
recombinant single-chain TCR derived from tumor-infiltrating  
lymphocytes and a cytotoxic T lymphocyte clone directed against  
MAGE-1+38 +0 +i International Immunology +1 11:745-751.

-----  
Kumar, V. et al. (1997) +37 Recombinant T Cell Receptor Molecules Can  
Prevent and Reverse Experimental Autoimmune Encephalomyelitis+38 +0 +i  
The Journal of Immunology +1 159:5150-5156.

=====  
REFERENCES (Page 8) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
4,946,778	08/1990	Ladner et al.		

5,013,650	05/1991 Carty
5,223,409	06/1993 Ladner et al.
5,225,539	07/1993 Winter
5,258,289	11/1993 Davis
5,258,498	11/1993 Huston et al.
5,260,203	11/1993 Ladner et al.
5,316,922	05/1994 Brown
5,403,484	04/1995 Ladner et al.
5,411,873	05/1995 Adams
5,427,908	06/1995 Dower
5,482,858	01/1996 Huston et al.
5,510,240	04/1996 Lam
5,571,698	11/1996 Ladner
5,580,717	12/1996 Dower et al.
5,624,817	04/1997 Miller et al.
5,723,286	03/1998 Dower et al.
5,723,323	03/1998 Kauffman et al.
5,733,743	03/1998 Johnson et al.
5,763,192	06/1998 Kauffman et al.
5,780,225	07/1998 Wigler et al.
5,814,476	09/1998 Kauffman et al.

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

=====

REFERENCES (Page 9) SERIAL NUMBER: 09/731,242  
FORM 1449

**U.S. REFERENCES**

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
5,817,483	10/1998	Kauffman et al.		
5,824,514	10/1998	Kauffman et al.		
5,837,500	11/1998	Ladner et al.		
5,858,657	01/1999	Winter et al.		
5,866,344	02/1999	Georgiou		
5,871,974	02/1999	Huse		
5,900,476	05/1999	Ruggeri et al.		
*6,027,910	02/2000	Klis et al.		
No issue date available.				
*6,114,147	09/2000	Frenken et al.		
No issue date available.				

**FOREIGN REFERENCES**

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
WO94/18330	08/1994	WOX		
WO94/01567	01/1994	WOX		
WO98/49286	11/1998	WOX		
0 436 597 B1	04/1997	EPX		

**OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)**

Alam et al., (Jun. 1996), +37 +i T-cell-receptor Affinity and  
Thymocyte Positive Selection,+38 +0 Nature 381:616-620+1 .  
-----  
Anand, R. et al. (1992), +37 Progress in developing methylotrophic  
yeasts as expression systems.+38 +0 +i TIBTECH +1 10:413-417.  
-----  
Bentley, G.A. and Mariuzza, R.A., (1996), +37 +i The Structure of the  
T Cell Antigen Receptor,+38 +0 Annu. Rev. Immunol. 14:563-590+1 .  
-----

Boder, E.T. and Wittrup, K.D., (1997), +37 +i Yeast surface display  
for screening combinatorial ploypeptide libraries.+38 +0 Nature  
Biotech,. 15+1 (+i 6+1 ):+i 553-557+1 .

=====

REFERENCES (Page 10) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Boder, E.T. and Wittrup, K.D. (1995), +37 +i A Yeast Surface Display  
System for in vitro Affinity Maturation of Antibodies,+38 +0 Protein  
Interactions+1 , Jun. 1-4, 1995, Beckman Institute, University of  
Illinois, Urbana (Abstract Only).

-----

Buckholz, R.G. and Gleeson, M.A.G. (1991), +37 Yeast Systems for the  
Commercial Production of Heterologous Proteins,+38 +0 [i  
Bio/Technol[1 . 9:1067-1072.

-----

Bjorkman, P.J., (Apr. 1997), +37 MHC Restriction in Three Dimensions:  
A View of T Cell Receptor/Ligand Interactions,+38 +0 +i Cell +1  
89:167-170.

-----

Clackson et al., (Apr. 1991), +37 Making Antibody Fragments Using  
Phage Display Libraries,+38 +0 +i Nature +1 352:624-628.

-----

Cregg, J.M. et al. (1993), +37 Recent Advances in the Expression of  
Foreign Genes in +i Pichia pastoris,+38 +0 Bio/Technol[1 . 11:905-910.

-----  
Faber, K.N. et al. (1995), +37 +i Review: Methylophilic Yeasts as  
Factories for the Production of Foreign Proteins,+38 +0 Yeast  
11:1331-1344+1 .  
-----  
Fremont et al., (1996), +37 Biophysical Studies of T-cell Receptors  
and Their Ligands,+38 +0 +i Curr. Opin. Immunol. 8:93-100+1 .  
-----  
Hawkins, R.E. et al. (1992), +37 +i Selections of Phage Antibodies by  
Binding Affinity Mimicking Affinity Maturation,+38 +0 J. Mol. Biol.  
226:889-896+1 .  
-----  
Hawkins, R.E. et al. (1993), +37 +i The Contribution of Contact and  
Non-contact Residues of Antibody in the Affinity of Binding to  
Antigen,+38 +0 J. Mol. Biol. 234:958-964+1 .  
-----  
Jung, S. and Pl+e,uml u+ee ckthun (1997), +37 +i Improving in vivo  
folding and stability of a single-chain Fv antibody fragment by loop  
grafting,+38 +0 Protein Eng. 10+1 (+i 8+1 ):+i 959-966+1 .  
-----  
Kieke, M.C. et al. (1997), +37 +i Isolation of anti-T cell receptor  
scFv mutants by yeast surface display,+38 Protein Eng. 10+1 (+i 11+1  
) :+i 1303-1310+1 .  
-----  
Klis, F.M. (1994). +37 +i Review: Cell Wall Assembly in Yeast,+38 +0  
Yeast 10:851-869+1 .  
-----  
Knappik, A. and Pl+e,uml u+ee ckthun, A. (1995), +37 +i Engineered  
turns of a recombinant antibody improve its in vivo folding,+38 +0

Protein Eng. 8+1 (+i 1+1 ):+i 81-89+1 .

-----  
Lipke, P.N. and Kurjan, J., (Mar. 1992), +37 Sexual Agglutination in  
Budding Yeasts: Structure, Function, and Regulation of Adhesion  
Glycoproteins,+38 +0 +i Microbiological Reviews +1 pp. 180-194.

-----  
Lyons et al., (Jul. 1996), +37 A TCR Binds to Antagonist Ligands with  
Lower Affinities and Faster Dissociation Rates Than to Agonists,+38 +0  
+i Immunity +1 5:53-61.

-----  
Margulies, D.H., (Jun. 1996), +37 +i An Affinity for Learning,+38 +0  
Nature 381:558-559+1 .

=====

REFERENCES (Page 11) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Marx, J. (Jan. 1995), +37 The T Cell Receptor Begins to Reveal Its  
Many Facets,+38 +0 +i Science +1 267:459-460.

-----  
Matsui et al., (Dec. 1991), +37 Low Affinity Interaction of  
Peptide-MHC Complexes with T Cell Receptors,+38 +0 +i Science +1  
254:1788-1791.

-----  
Matsui et al., (+i Dec+1 . 1994), +37 +i Kinetics of T-cell Receptor  
Binding to Peptide/I-E+hu k +1 +i Complexes : Correlation of the  
Dissociation Rate with T-cell Responsiveness+1 ,+38 +0 +i Proc. Natl.



Acad. Sci. USA +l 91:12862-12866.

-----  
Nieba, L. et al. (1997). +37 Disrupting the hydrophobic patches at the  
antibody variable/constant domain interface: improved in vivo folding  
and physical characterization of an engineered scFv fragment,+38 +0  
Protein Eng. 10(4):435-444.

-----  
O+3 Herrin et al., (Oct. 1997), +37 Analysis of the Expression of  
Peptide-Major Histocompatibility Complexes Using High Affinity Soluble  
Divalent T Cell Receptors,+38 +0 +i J. Exp. Med +l 186:1333-1345.

-----  
Reich et al., (Jun. 1997), +37 Ligand-specific Oligomerization of  
T-cell Receptor Molecules,+38 +0 +i Nature +l 387:617-620.

-----  
Ridder, R. et al. (1995), +37 Generation of Rabbit Monoclonal Antibody  
Fragments from a Combinatorial Phage Display Library and Their  
Production in the Yeast +i Pichia pastoris,+38 +0 Bio/Technol[l .  
13:255-259.

-----  
Romanos, M. (1995), +37 Advances in the use of +i Pichia pastoris +l  
for high-level gene expression,+38 +0 [i Curr. Opinion in Biotechnol[l  
. 6:527-533.

-----  
Romanos et al., (1992), +37 Foreign Gene Expression in Yeast: a  
Review,+38 +0 [i Yeast [l 8:423-488.

-----  
Schlueter et al., (1996), +37 +i Specificity and Binding Properties of  
a Single-chain T Cell Receptor,+38 +0 J. Mol. Biol. 256+l :859-869.

Schreuder et al., (Apr. 1996), +37 +i Immobilizing Proteins on the  
Surface of Yeast Cells,+38 +0 TIBTECH 14:115-120+1 .  
-----  
Schodin et al., (1996), +37 +i Binding Properties and Solubility of  
Single-Chain T Cell Receptors Expressed in E. coli,+38 +0 Molec.  
Immunol. 33+1 (+i 9+1 ):+i 819-829+1 .  
-----  
Sudbery, P.E. (1994), +37 +i The Non-Saccharomyces Yeasts,+38 +0 Yeast  
10:1707-1726+1 .  
-----  
Syrulev et al., (+i Dec+1 . 1995), +37 +i The Law of Mass Action  
Governs Antigen-stimulated Cytolytic Activity of CD8+hu +30 +0  
cytotoxic T Lymphocytes+1 ,+38 +0 +i Proc. Natl. Acad. Sci. USA+1  
92:11990-11992.  
-----  
Ulrich et al. (Dec. 1995), +37 +i Expression Studies of Catalytic  
Antibodies,+38 +0 Proceed. Natl. Acad. Sci. 92:11907-11911+1 .

=====

REFERENCES (Page 12) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

van der Vaart (Sep. 1965), +37 +i Identification and Characterization  
of Cell Wall Proteins of Saccharomyces ceevisiae,+38 +0 Thesis. ISBN  
90-393-1498-5 +1 pp. 1-138.  
-----

Weber et al., (Apr. 1992), +37 +i Specific Low-affinity Recognition of

Major Histocompatibility Complex Plus Peptide by Soluble T-cell  
Receptor,+38 +0 Nature 356:793-796+1 .

=====

REFERENCES (Page 13) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
Re. 35,500	05/1997	Rhodes		
3,817,837	06/1974	Rubenstein et al.		
3,850,752	11/1974	Schuurs et al.		
3,927,193	12/1975	Hansen et al.		
3,939,350	02/1976	Kronick et al.		
3,996,345	12/1976	Ullman et al.		
4,275,149	06/1981	Litman et al.		
4,277,437	07/1981	Maggio		
4,331,647	05/1982	Goldenberg		
4,348,376	09/1982	Goldenberg		
4,361,544	11/1982	Goldenberg		
4,366,241	12/1982	Tom et al.		
4,444,744	04/1984	Goldenberg		
4,468,457	08/1984	Goldenberg et al.		
4,640,561	02/1987	George		
4,713,332	12/1987	Mak		
4,831,122	05/1989	Buchsbaum et al.		
4,873,190	10/1989	Saito et al.		
4,874,845	10/1989	Saito et al.		

4,923,799	05/1990 Mak
4,970,296	11/1990 Saito et al.
5,024,940	06/1991 Brenner et al.
5,059,413	10/1991 Reardan et al.
5,101,827	04/1992 Goldenberg

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

=====

REFERENCES (Page 14) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
5,185,250	02/1993	Brenner et al.		
5,299,253	03/1994	Wessels		
5,316,925	05/1994	Davis et al.		
5,340,921	08/1994	Brenner et al.		
5,348,867	09/1994	Georgiou et al.		
5,498,530	03/1996	Schatz		
5,580,961	12/1996	Saito et al.		
5,601,822	02/1997	Brenner et al.		
5,614,192	03/1997	Vandenbark		
5,635,363	06/1997	Altman et al.		
5,723,309	03/1998	Bonneville		
5,738,996	04/1998	Hodges		
5,763,733	06/1998	Whitlow et al.		
5,767,260	06/1998	Whitlow et al.		

5,789,208	08/1998 Sharon
5,824,483	10/1998 Houston, Jr. et al.
5,837,477	11/1998 Germain et al.
5,840,304	11/1998 Davis et al.
5,866,363	02/1999 Pieczenik
5,869,620	02/1999 Whitlow et al.
5,871,907	02/1999 Winter et al.
5,882,945	03/1999 Saito et al.
5,948,409	09/1999 Germain et al.
5,969,108	10/1999 McCafferty et al.
5,977,321	11/1999 Saito et al.

\*6,017,732 01/2000 Jespers et al.  
No issue date available.

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

=====

REFERENCES (Page 15) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Alam, S.M. et al., (Feb. 1999), +37 Qualitative and Quantitative  
Differences in T Cell Receptor Binding of Agonist and Antagonist  
Ligands,+38 +0 Immunity 10:227-237.

-----

Alberti, S., (1996), +37 A high affinity T cell receptor+48 ,+38 +0

Immunol. Cell Biol. 74:292-297.

-----  
Altschul, S.F. et al., +37 +0 Gapped BLAST and PSI-BLAST: a new  
generation of protein database search programs+38 +0 (Sep. 1997)

Nucleic Acids Research 25(17):2278-3402.

-----  
Baldwin, R.W. and Byers, V.S., (Editors) (1985), +i Monoclonal  
Antibodies for Cancer Detection and Therapy+1 ,London Academic Press  
pp. 159-179.

-----  
Beeson, C. et al., (Aug. 1996), +37 Early Biochemical Signals Arise  
from Low Affinity TCR-Ligand Reactions at the Cell-Cell Interface,+38  
+0 J. Exp. Med. 184:777-782.

-----  
Bevan, M.J., +37 In Thymic Selection, Peptide Diversity Gives and  
Takes Away+38 +0 (Aug. 1997), Immunity 7:175-178.

-----  
Boder, E.T. et al., +37 +0 Directed Evolution of Antibody Fragments  
with Monovalent Femtomolar Antigen-binding Affinity+38 +0 (Sep. 2000)  
Proc. Nat+3 l. Acad. Sci. USA 97(20):10701-10705.

-----  
Boder, E.T. and Wittrup, K.D., (Feb. 1998), +37 Optimal Screening of  
Surface-Displayed Polypeptide Libraries,+38 +0 Biotech. Progress  
14(1):55-62.

-----  
Boniface, J.J. et al., (Sep. 1999), +37 Thermodynamics of T cell  
receptor binding to peptide-MHC: Evidence for a general mechanism of  
molecular scanning+38 +0 Proc. Natl. Acad. Sci. +i USA +1  
96:11446-11451.

=====

REFERENCES (Page 16) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Buchwalder, A. et al., (1994), +37 Immunochemical and Molecular  
Analysis of Antigen Binding to Lipid Anchored and Soluble Forms of an  
MHC Independent Human +60 /+62 [0 T Cell Receptor,+38 +0 Mol. Immunol.  
31(11):857-872.

-----

Callan, M.F. et al., (1995), +37 Selection of T cell receptor variable  
gene-encoded amino acids on the third binding site loop: a factor  
influencing variable chain selection in a T cell response,+38 +0 Eur.  
J. Immunol. 25:1529-1534.

-----

Cheng, Y.C., +37 Relationship Between The Inhibition Constant (K+hd  
1+1 ) and the Concentration of Inhibitor Which Causes 50 Per Cent  
Inhibition (I+hd 50+1 ) of an Enzymatic Reaction+38 +0 (1973),  
Biochem. Pharm. 22:3099-3108.

-----

Cho, B.K. et al., +37 A yeast surface display system for the discovery  
of ligands that trigger cell activation.+38 +0 (Nov. 1988) J. Immunol  
Methods (Netherlands) 220:179-88.

-----

Chung. S. et al., (Dec. 1994), +37 Functional three-domain  
single-chain T-cell receptors,+38 +0 Proc. Natl. Acad. Sci. USA

91:12654-12658.

-----  
Clackson, T. et al., (Aug. 1991) +37 Making antibody fragments using  
phage display libraries+38 +0 Nature 352:624-628.

-----  
Dal Porto, J. et al., (1993), +37 A soluble divalent class I major  
histocompatibility complex molecule inhibits alloreactive T cells at  
nanomolar concentrations+38 +0 Proc. Natl. Acad. Sci. USA  
90:6671-6675.

-----  
Davis, M.M. and Bjorkman, D.J., (Aug. 1988), +37 T-cell antigen  
receptor genes and T-cell recognition,+38 +0 Nature 334:395-402.

-----  
Davis et al., (Annual-1998), +37 Ligand Recognition by +60 +62 [0 T  
Cell Receptors,+38 +0 Annu. Rev. Immunol. 16:523-544.

-----  
Davis, M.M. and Chien, Y., (1993), +37 Topology and affinity of T-cell  
receptor mediated recognition of peptide-MHC complexes,+38 +0 Curr.  
Opin. Immunol. 5:45-49.

-----  
de Kruif, J. and Logtenberg, T., (Mar. 1996), +37 Leucine Zipper  
Dimerized Bivalent and Bispecific scFv Antibodies from a  
Semi-synthetic Antibody Phage Display Library,+38 +0 Amer. Soc.  
Biochem. Mol. Biol. 271(13):7630-7634.

-----  
Eisen, H. N. et al., (1996),+37 +0 Antigen-Specific T-Cell Receptors  
And Their Reactions With Complexes Formed By Peptides With Major  
Histocompatibility Complex Proteins+38 +0 Adv. Protein Chem. 49:1-56.  
-----



Faber, K.N. et al., (1995), +37 Review: Methylo-trophic Yeasts as  
Factories for the Production of Foreign Proteins+38 +0 Yeast  
11:1331-1344.

-----  
Foote, J. and Eisen, H.N., (Sep. 2000) +37 Breaking the affinity  
ceiling for antibodies and T cell receptors+38 +0 PNAS  
97(20):10679-10681.

=====

REFERENCES (Page 17) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Furukawa, k. et al., +37 Junctional Amino Acids Determine the  
Maturation Pathway of an Antibody+38 +0 (Sep. 1999), Immunity  
11:329-338.

-----  
Ganju, R.K. et al., (Dec. 1992), +37 Similarity between  
fluorescein-specific T-cell receptor and antibody in chemical details  
of antigen recognition,+38 +0 Proc. Natl. Acad. Sci. USA  
89:11552-11556.

-----  
Garcia, K.C. et al. +37 An +60 B T Cell Receptor Structure at 2.5 +521  
and Its Orientation in the TCR-MHC Complex+38 +0 (Oct. 1996), Science  
274:209-219.

-----  
Garcia, K.C. et al., +37 CD8 enhances formation of stable T-cell

receptor/MHC class I molecule complexes+38 +0 (Dec. 1996), Nature  
384:577-584.

-----  
Garcia, K.C. et al., (Dec. 1997), +37 +60 +62 [0 T cell receptor  
interactions with syngeneic and allogeneic ligands: Affinity  
measurements and crystallization,+38 +0 Proc. Natl. Acad. Sci. USA  
94:13838-13843.

-----  
Garcia, K.C. et al., +37 Structural Basis of Plasticity in T Cell  
Receptor Recognition of a Self Peptide-MHC Antigen+38 +0 (Feb. 1998)  
Science 279:1166-1172.

-----  
Gascoigne, N.R. et al., (May 1987), +37 Secretion of a chimeric T-cell  
receptor-immunoglobulin protein,+38 +0 Proc. Natl. Acad. Sci. USA  
84:2936-2940.

-----  
Gellissen, G. et al., (1992) +37 Progress in developing methylotrophic  
yeasts as expression systems+38 +0 Tibtech 10:413-417.

-----  
Geitz, R.D. et al., (1995), +37 Studies on the Transformation of  
Intact Yeast Cells by the LiAc/SS-DNA/PEG Procedure+38 +0 +i Yeast +1  
11:355-360.

-----  
Hare, B.J. et al., (Jun. 1999), +37 Structure, specificity and CDR  
mobility of a class II restricted single-chain T-cell receptor+38 +0  
Nat. Struct. Biol. 6:574-581.

-----  
Hilyard, K.L. et al., (Sep. 1994), +37 Binding of soluble natural  
ligands to a soluble human T-cell receptor fragment produced in +i

Escherichia coli+1 ,+38 +0 Pro. Natl. Acad. Sci. USA 91:9057-9061.  
-----  
Holler, P.D. et al., (May 2000), +37 In vitro evolution of a T cell  
receptor with high affinity for peptide/MHC,+38 PNAS 97(10):5387-5392.  
-----  
Huse, W. D. et al., (Dec. 1989), +37 Generation of a Large  
Combinatorial Library of the Immunoglobulin Repertoire in Phage  
Lambda,+38 +0 Science 246:1275-1281.  
-----  
Jorgensen, J.L. et al., (Jan. 1992), +37 Mapping T-cell  
receptor-peptide contacts by variant peptide immunization of  
single-chain transgenics,+38 +0 +i Nature +l 355:224-230.  
-----  
Kappler, J. et al., (Aug. 1994), +37 Binding of a soluble +60 +62 [0  
T-cell receptor to superantigen/major histocompatibility complex  
ligands,+38 +0 Proc. Natl. Acad. Sci. USA 91:8462-8466.

=====

REFERENCES (Page 18) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Kieke, M.C. et al., (May 1999), +37 Selection of functional T cell  
receptor mutants from a yeast surface-display library,+38 +0 Proc.  
Natl. Acad. Sci. USA 96(10):5651-5656.  
-----  
Kipriyanov, S. M. et al., (Apr. 1997), +37 Two amino acid mutations in  
an anti-human CD3 single chain Fv antibody fragment that affect the

yield on bacterial secretion but not the affinity,+38 +0 Protein Eng.  
10(4):445-453.

-----  
Kowalski, J. M. et al., (Feb. 1998), +37 Secretion efficiency in +i  
Saccharomyces cerevisiae +1 of bovine pancreatic trypsin inhibitor  
mutants lacking disulfide bonds is correlated with thermodynamic  
stability,+38 +0 Biochemistry 37(5):1264-1273.

-----  
Kowalski, J.M. et al., (Jul. 1998), +37 Protein folding stability can  
determine the efficiency of escape from endoplasmic reticulum quality  
control,+38 +0 J. Biol. Chem. 273(31):19453-19458.

-----  
Letourneur, F. and Malissen, B., (1989), +37 Derivation of a T cell  
hybridoma variant deprived of functional T cell receptor  $\alpha$  and  $\beta$  chain  
transcripts reveals a nonfunctional  $\alpha$ -mRNA of BW5147 origin+38 +0 Eur.  
J. Immunol. 19(12):2269-2274.

-----  
Manning, T. C. et al., (Apr. 1998), +37 Alanine Scanning Mutagenesis  
of an +60 +62 [0 T cell Receptor: Mapping the Energy of Antigen  
Recognition,+38 +0 +i Immunity +1 8:413-425.

-----  
Manning et al., (Feb. 1999), +37 Effects of complementarity  
determining region mutations on the affinity of  $\alpha/\beta$  T cell  
receptor: measuring the energy associated with CD4/CD8 repertoire  
skewing,+38 +0 J. Exp. Med. 189(3):461-470.

-----  
Marks, J.D. et al., (Aug. 1992), +37 Molecular Evolution of Proteins  
on Filamentous Phage,+38 +0 J. Biol. Chem. 267(23):16007-16010.

Marks, J.D. et al., (1991), +37 By-passing Immunization. Human  
Antibodies from V-gene Libraries Displayed on Phage,+38 +0 J. Mol.  
Biol. 222:581-597.

-----  
Martineau, P. et al., (Jul. 1998), +37 Expression of an antibody  
fragment at high levels in the bacterial cytoplasm,+38 +0 J. Mol.  
Biol. 280(1):117-127.

-----  
McCafferty, J. et al., (Dec. 1990), +37 Phage antibodies: filamentous  
phage displaying antibody variable domains,+38 +0 Nature 348:552-554.

-----  
Novotny, J. et al., (Oct. 1991), +37 A soluble, single-chain T-cell  
receptor fragment endowed with antigen-combining properties,+38 +0  
Proc. Natl. Acad. Sci. USA 88:8646-8650.

-----  
Nieba, L. et al., (Apr. 1997), +37 Disrupting the hydrophobic patches  
at the antibody variable/constant domain interface: improved in vivo  
folding and physical characterization of an engineered scFv  
fragment,+38 +0 Protein Eng. 10(4):435-444.

=====  
REFERENCES (Page 19) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

O+3 Herrin, S.M. et al., (Oct. 1997), +37 Analysis of the Expression  
of Peptide-Major Histocompatibility Complexes Using High Affinity

Soluble Divalent T Cell Receptors,+38 +0 J. Exp. Med 186:1333-1345.

-----  
Olsnes, S. and Pihl, A., +37 Chimeric Toxins+38 +0 (1982), Pharmac.  
Ther. 25:355-381.

-----  
Rabinowitz et al., (Feb. 1996), Kinetic discrimination in T-cell  
activation Proc. Natl. Acad. Sci. USA 93:1401-1405.

-----  
Sant+3 [0 Angelo, D.B. et al., (Apr. 1996), +37 The Specificity and  
Orientation of a TCR to its Peptide-MHC Class II Ligands,+38 +0  
Immunity 4:367-376.

-----  
Schlueter, C.J. et al., (1996), +37 A Residue in the Center of Peptide  
QL9 Affects Binding to Both L+hu d +1 and the T Cell Receptor+hu 1+1  
,+38 +0 J. Immunol. 157:4478-4485.

-----  
Schneck, J. et al., (Jan. 1989), +37 Inhibition of an Allospecific T  
Cell Hybridoma by Soluble Class I Proteins and Peptides: Estimation of  
the Affinity of a T Cell Receptor for MHC,+38 +0 Cell 56:47-55.

-----  
Schodin, B.A. and Kranz, D.M., (Dec. 1993), +37 Binding Affinity and  
Inhibitory Properties of a Single-Chain Anti-T Cell Receptor  
Antibody,+38 +0 J. Biol. Chem. 268(34):25722-25727.

-----  
Schodin, B.A. et al., (1996) +37 Binding Properties and solubility of  
single-chain T cell receptors expressed in +i E. coli+1 +38 +0  
Immun.33(9):819-829.

-----  
Seibel, J.L. et al., (Jun. 1997), +37 Influence of the NH+hd 2+1

-terminal Amino Acid of the T Cell Receptor +60 +0 Chain on Major  
Histocompatibility Complex (MHC) Class II +30 +0 Peptide  
Recognition,+38 +0 J. Exp. Med. 185(11):1919-1927.

-----  
Seth, A. et al., (May 1994), +37 Binary and ternary complexes between  
T-cell receptor, class II MHC and superantigen in vitro,+38 +0 Nature  
369:324-327.

-----  
Sheets, M.D. et al., (May 1998), +37 Efficient construction of a large  
nonimmune phage antibody library: The production of high-affinity  
human single-chain antibodies to protein antigens,+38 +0 Cell Biology  
95(11):6157-6162.

-----  
Shusta, E.V. et al., (Apr. 1999), +37 Biosynthetic polypeptide  
libraries,+38 +0 Curr. Opin. Biotechnol. 10:117-122.

-----  
Shusta, E.V. et al., (Oct. 1999), +37 Yeast Polypeptide Fusion Surface  
Display Levels Predict Thermal Stability and Soluble Secretion  
Efficiency,+38 +0 J. Mol. Biol. 292:949-956.

-----  
Slanetz, A.E. and Bothwell, A.L., (1991), +37 Heterodimeric,  
disulfide-linked a / b T cell receptors in solution+38 +0 Eur. J.  
Immunol. 21:179-183.

=====  
REFERENCES (Page 20) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Soo Hoo, W.F. et al., (May 1992), +37 Characterization of a  
single-chain T-cell receptor expressed in +i Escherichia coli+l ,+38  
+0 Proc. Natl. Acad. Sci. +i USA +l 89:4759-4763.

-----  
Speir, J.A. et al., (May 1998), +37 Structural Basis of 2C TCR  
Allorecognition of H-2L+hu d +l Peptide Complexes,+38 +0 Immunity  
8:553-562.

-----  
Sykuley, Y. et al., +37 Kinetics and Affinity of Reactions between an  
Antigen-Specific T Cell Receptor and Peptide-MHC Complexes+38 +0  
(1994), Immunity 1:15-22.

-----  
Sykulev, Y. et al., (Nov. 1994), +37 High-affinity reactions between  
antigen-specific T-cell receptors and peptides associated with  
allogeneic and syngeneic major histocompatibility complex class I  
proteins,+38 +0 Proc. Natl. Acad. Sci. USA 91:11487-11491.

-----  
Sykulev, Y. et al., (Dec. 1995) +37 The Law of mass action governs  
antigen-stimulated cytolytic activity of CD8+30 +0 cytotoxic T  
lymphocytes+38 +0 Proc. Natl. Acad. Sci. USA 92:11990-11992.

-----  
Tjoa, B.and Kranz, D.M., (Jul. 1992) +37 Diversity of T cell  
receptor-alpha chain transcripts from hyperimmune alloreactive T  
cells.+38 +0 J Immunol (United States) 149(1) 253-259.

-----  
Udaka, K. et al., (1993), +37 A ubiquitous protein is the source of  
naturally occurring peptides that are recognized by a CD8+30 +0 T-cell



clone+38 +0 Proc. Natl. Acad. Sci. USA 90:11272-11276.

-----  
Valitutti, S. et al., +37 Serial triggering of many T-cell receptors by  
a few peptide-MHC complexes+38 +0 (May 1995), Nature 375:148-151.

-----  
Ward, E.S., (1991), +37 Expression and Secretion of T-Cell Receptor  
V+60 +0 and V+62 +0 Domains using +i Escherichia coli +1 as a Host,+38  
+0 Scand. J. Immunol. 34:215-220.

-----  
Ward, E.S., (1992), +37 Secretion of T Cell Receptor Fragments From  
Recombinant +i Escherichia coli +1 Cells,+38 +0 J. Mol. Biol.  
224:885-890.

-----  
Wedemayer, G.J. et al., +37 Structural Insights into the Evolution of  
an Antibody Combining Site+38 +0 (Jun. 1997), Science 276:1665-1669.

-----  
Weidanz, J.A. et al., (Dec. 1998), +37 Display of functional +60 +62  
+0 single-chain T-cell receptor molecules on the surface of  
bacteriophage,+38 +0 J. Immunol. Meth. 221:59-76.

-----  
Willcox, B.E. et al., +37 TCR Binding to Peptide-MHC Stabilizes a  
Flexible Recognition Interface+38 +0 (Mar. 1999), Immunity 10:357-365.

=====  
REFERENCES (Page 21) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Winter, G. et al., +37 Making Antibodies By Phage Display

Technology+38 +0 (1994) Annu. Rev. Immunol. 12:433-455.

-----  
Wittrup, D.K., +37 Phage on Display+38 +0 (Nov. 1999), Trends in  
Biotech. 17(11):423-424.

-----  
Wolfe, M.S. et al., (Jan. 1998), A Substrate-Based Diffusion Ketone  
Selectively Inhibits Alzheimer+3 s +65 -Secretase Activity, J. Med.  
Chem. 41:6-9.

=====

REFERENCES (Page 22) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

98 39482 A	09/1998	WOX		
------------	---------	-----	--	--

99 36569 A	07/1999	WOX		
------------	---------	-----	--	--

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

=====

REFERENCES (Page 23) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Al-Ramadi BK, et al., (1995)Lack of strict correlation of functional  
sensitation with the apparent affinity of MHC/peptide complexes for  
the TCR. [i J. Immunol.[1 155: 662-673.

-----  
Bellio M, et al., (1994), The  $\alpha$  complementarity determining region 1  
of a major histocompatibility complex (MHC) class I-restricted T cell  
receptor is involved in the recognition of peptide/MHC I and  
superantigen/MHC complex. [i J. Exp. Med.[1 179: 1087-1089.

-----  
Bird, RE, et al., (1988), Single-chain antigen-binding proteins. [i  
Science[1 . 242: 423-426.

-----  
Boder, E.T., et al., (2000), Yeast surface display for directed  
evolution of protein expression, affinity, and stability. [i Methods  
Enzymol[1 328, 430-444.

-----  
Brodnicki, TC., (1996), Reactivity and epitope mapping of single-chain  
T cell receptors with monoclonal antibodies. [i Mol. Immunol.[1  
33:253-263.

-----  
Cho, BK, et al., (1995), Characterization of a single-chain antibody  
to the  $\alpha$ -chain of the T cell receptor. [i J. Biol. Chem.[1 270:  
25819-25826.

-----  
Cochran, et al., (2000), A diverse of oligomeric class II MHC-peptide  
complexes for probing T-cell receptor interactions. Chemistry &  
Biology, vol. 7:683-696.

-----  
Corr M, et al., (1994), T cell receptor-MHC class I peptide  
interactions: affinity, kinetics, and specificity. [i Science[1 265:  
946-949.

Engel I, et al., (1988), Site-directed mutations in the VDJ junctional region of a T cell receptor & b chain cause changes in antigenic peptide recognition. [i Cell[1 54: 473-484.

-----  
Holler, Philip D., et al., (2001), CD8- T Cell Transfectants that Express a High Affinity T Cell Receptor Exhibit Enhanced Peptide-dependent Activation. [i J. Exp. Med.[1 194: 1043-1052.

=====

REFERENCES (Page 24) SERIAL NUMBER: 09/731,242  
FORM 1449

U.S. REFERENCES

<u>U.S. Pat No.</u>	<u>Date</u>	<u>Patentee</u>	<u>Class</u>	<u>SubClass</u>
---------------------	-------------	-----------------	--------------	-----------------

FOREIGN REFERENCES

<u>Foreign Doc No.</u>	<u>Date</u>	<u>Country</u>	<u>Class</u>	<u>SubClass</u>
------------------------	-------------	----------------	--------------	-----------------

OTHER REFERENCE CITATIONS (incl. Author, Title, Date, Pertinent Pages, etc.)

Holler, et al., (2002) TCRs with high affinity for foreign pMHC show self-reactivity, [i Nature Immunology[1 , Published online Dec. 9, 2002; doi: 10.1038/ni863.

-----  
Holler, et al., (2003) Quantitative Analysis of the Contribution of TCR/pepMHC Affinity and CD8 to T Cell Activation, [i Immunity[1 , 18:255-264.

-----  
Holler, et al., (2000) [i In vitro[1 evolution of a T cell receptor with high affinity for peptide/MHC, [i PNAS[1 , 97:5387-5392.

-----  
Hoogenboom, Hennie R., (1997) Designing and optimizing library selection strategies for generating high-affinity antibodies, [i Tibtech[1 , 15:62-70.

Kasibhatla S. et al., (1993) Simultaneous involvement of all six  
predicted antigen binding loops of the T cell receptor in recognition  
of the MHC/antigenic peptide complex. [i J. Immunol.[1 151:3140-51.

-----  
Kieloe, M.C., et al., (2001), High affinity T cell receptors from  
yeast display libraries block T cell activation by superantigens. J.  
Mol Biol 307:1305-1315.

-----  
Malchiodi EL, (1995), Superantigen binding to a T cell receptor &b  
chain of known three-dimensional structure. [i J. Exp. Med.[1  
182:1833-1845.

-----  
Shusta, E.V., et al., (2000), Directed evolution of a stable scaffold  
for T-cell receptor engineering. Nat. Biotechnol 18:754-759.

-----  
Witrrup, K.D., (2000), The single cell as a microplate well. Nat  
Biotechnol 18:1039-1040.

-----  
Yoon, ST., (1994), Both high and low avidity antibodies to the cell  
receptor can have agonist or antagonist activity. [i Immunity[1  
1:563-569.

=====  
\*\*\*\*\*